



Dentist .....

Job Number .....

Practice/Address: .....

.....

.....

### Case Instructions

Impressions Disinfected: YES  NO

Patient:

Male  Female  Age.....

Name: .....

Surname: .....

### REQUIRED

Metal Try-In.....

Bisque Try-In.....

Finished.....

Charting

.....

Shade .....

Stump Shade.....  
(For All Ceramic)

Diagram showing a tooth crown and a dental arch design labeled 'DESIGN'.

Occlusal Staining

None  
 Light  
 Medium  
 Heavy

### Occlusal Contact

Normal  Light  Open

### Proximal Contact

Normal  Extended

### Embrasure

Open  Closed

### Pontic Design

### Restoration Type

- Crown
- Veneer / Inlay / Onlay
- Maryland / Rochette
- Post & Core
- Diagnostic Wax-up
- Temporary Crown / Bridge
- Precision Attachment
- Implant
- Bridge
- Captek

### All Ceramic

- Zirconia Full Cont
- Zirconia PFZ
- E.Max
- E.Max Veneer/Inlay
- Empress
- Empress Ven.
- Composite
- Composite inl

### PFM & Full Metal Crown

- PFM Gold
- PFM Titanium
- PFM CO.CR
- Co.Cr. Full Metal
- Gold Full Metal
- PFM Basic Crow

### Implant Crown

- Zirconia PFZ
- IPS E.Max
- Full Metal Crown
- Titanium PFM
- Co.Cr PFM
- Full SP Alloy

### Implant Restoration

- Cement Retained
- Screw Retained
- Ti Base
- Ti Cast Abutment Milled
- ZI Cast Abutment Milled

System.....

Diameter .....

Other.....

### ENCLOSURES

- ALGINATE U/L
- RUBBER U/L
- BITE
- PHOTO
- STUDY MODELS
- ARTICULATOR
- COMPONENTS
- BITE FORK /FACE-BOW
- OTHER

Dentist signature:

SIGNED .....DATE.....